

```

1 <?php require_once('Connections/cart_conn.php'); ?>
2 <?php
3 if (!function_exists ("GetSQLValueString" )) {
4 function GetSQLValueString ($theValue, $theType, $theDefinedValue = "", $theNotDefinedValue = "")
5 {
6 if (PHP_VERSION < 6) {
7 $theValue = get_magic_quotes_gpc () ? stripslashes ($theValue) : $theValue ;
8 }
9
10 $theValue = function_exists ("mysql_real_escape_string" ) ? mysql_real_escape_string ($theValue) : mysql_escape_string ($theValue);
11
12 switch ($theType) {
13 case "text" :
14 $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL" ;
15 break ;
16 case "long" :
17 case "int" :
18 $theValue = ($theValue != "") ? intval ($theValue) : "NULL" ;
19 break ;
20 case "double" :
21 $theValue = ($theValue != "") ? doubleval ($theValue) : "NULL" ;
22 break ;
23 case "date" :
24 $theValue = ($theValue != "") ? "'" . $theValue . "'" : "NULL" ;
25 break ;
26 case "defined" :
27 $theValue = ($theValue != "") ? $theDefinedValue : $theNotDefinedValue ;
28 break ;
29 }
30 return $theValue ;
31 }
32 }
33
34 $editFormAction = $_SERVER['PHP_SELF'];
35 if (isset($_SERVER['QUERY_STRING'])) {
36 $editFormAction .= "?" . htmlentities ($_SERVER['QUERY_STRING']);
37 }
38
39 if ((isset($_POST["MM_insert" ]) && ($_POST["MM_insert" ] == "form1" )) {
40 foreach ($_POST['D_PName'] as $i => $val) {
41 $insertSQL = sprintf ("INSERT INTO detail (D_OrderID, D_PName, D_PPrice, D_PQuantity, D_ItemTotal) VALUES (%s, %s, %s, %s, %s)
42 ",
43 GetSQLValueString ($_POST['D_OrderID'], "text" ),
44 GetSQLValueString ($_POST['D_PName'][$i], "text" ),
45 GetSQLValueString ($_POST['D_PPrice'][$i], "int" ),
46 GetSQLValueString ($_POST['D_PQuantity'][$i], "int" ),
47 GetSQLValueString ($_POST['D_ItemTotal'][$i], "int" ));
48
49 mysql_select_db ($database_cart_conn , $cart_conn );
50 $Result1 = mysql_query ($insertSQL , $cart_conn ) or die(mysql_error ());
51 }
52
53 $insertGoTo = "purchase.php" ;
54 if (isset($_SERVER['QUERY_STRING'])) {
55 $insertGoTo .= (strpos ($insertGoTo , '?')) ? "&" : "?";
56 $insertGoTo .= $_SERVER['QUERY_STRING'];
57 }
58 header(sprintf ("Location: %s" , $insertGoTo ));
59 }
60
61 session_start ();
62 if(!isset($_SESSION['OrderID']))
63 $_SESSION['OrderID'] = date("YmdHis" ) . substr (md5(uniqid (rand ()), 0, 10));
64 ?>
65
66 <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd" >
67 <html xmlns="http://www.w3.org/1999/xhtml" >
68 <head>
69 <meta http-equiv=" Content-Type" content="text/html; charset=utf-8" />
70 <title> 無標題文件</title>
71 <link href="style.css" rel="stylesheet" type="text/css" />
72 </head>
73
74 <body>
75 <h3 align="center" >購物車</h3>
76 <hr />
77 <br />
78 <table width="500" border="0" align="center" cellpadding="0" cellspacing="0" >
79 <tr>

```

```

80 <td>| <a href="index.php" >瀏覽商品</a> | <a href="cls.php" >清空購物車</a> | <a href="ord
ers.php" >檢視所有訂單</a> |</td>
81 </tr>
82 </table>
83 <form id="form1" name="form1" method="POST" action=" <?php echo $editFormAction; ?>">
84 <table width="500" border="0" align="center" cellpadding="1" cellspacing="1">
85 <tr>
86 <td colspan="5">訂單編號 :
87 <input name="D_OrderID" type="hidden" id="D_OrderID" value="<?php echo $_SESSION['OrderID']; ?>" /></td>
88 </tr>
89 <tr class="title_font">
90 <td><div align="center"><font color="#FFFFFF">商品編號</font></div></td>
91 <td><div align="center"><font color="#FFFFFF">商品名稱</font></div></td>
92 <td><div align="center"><font color="#FFFFFF">商品單價</font></div></td>
93 <td><div align="center"><font color="#FFFFFF">訂購數量</font></div></td>
94 <td><div align="center"><font color="#FFFFFF">小計</font></div></td>
95 </tr>
96
97 <?php foreach($_SESSION['Cart'] as $i => $val) {?>
98 <tr>
99 <td><div align="center" ><?php echo $_SESSION['Cart'][$i]; ?></div></td>
100 <td><div align="center">
101 <?php echo $_SESSION['Name'][$i]; ?>
102 <input name="D_PName[]" type="hidden" value="<?php echo $_SESSION['Name'][$i]; ?>" />
103 </div></td>
104 <td><div align="center">
105 <?php echo $_SESSION['Price'][$i]; ?>
106 <input name="D_PPrice[]" type="hidden" value="<?php echo $_SESSION['Price'][$i]; ?>" />
107 </div></td>
108 <td><div align="center">
109 <?php echo $_SESSION['Quantity'][$i]; ?>
110 <input name="D_PQuantity[]" type="hidden" value="<?php echo $_SESSION['Quantity'][$i]; ?>" />
111 </div></td>
112 <td><div align="center">
113 <?php echo $_SESSION['itemTotal'][$i]; ?>
114 <input name="D_ItemTotal[]" type="hidden" value="<?php echo $_SESSION['itemTotal'][$i]; ?>" />
115 </div></td>
116 </tr>
117 <?php } ?>
118
119
120 <tr>
121 <td colspan="5" ><div align="right" >總金額 : <?php echo $_SESSION['Total']; ?></div></td>
122 </tr>
123 <tr>
124 <td colspan="5"><div align="right">
125 <input type="submit" name="Submit" value="送出" />
126 </div></td>
127 </tr>
128 </table>
129 <input type="hidden" name="MM_insert" value="form1" />
130 </form>
131 </body>
132 </html>
133

```